Work	Order	ID	530	657

November 11, 2009 3:25:43 PM

D

Required Date: 18/11/2009



Page 1

Item ID:

D2989-13

Setup Start



Revision ID: Item Name:

Rib 11/11/2009

QC:

Start Qty: 4.00 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Start Date:

Approvals:

Process Plan:

Date 09-11-12 Tooling:

Date:

Date:

Run

Qty

Start

Stop

Stop



Sequence ID/

Date:

SPC (Y/N):

Accept

Draw

Draw

Plan

Code

Accept

Reject Reject Insp.

Work Center ID

Operation Description Set Up/ **Run Hours**

Number

Rev.

Qty

Number

Stamp

Draw Nbr

D2989 Rev D

Large Fab

Large Fab

Revision Nbr

Memo

0.00

0.00

Large Fab

1- pick D3166-3 to cut D2989-13 rib as per dwg D2989 using DT9443 jig□2-

remove identification markings □3- deburr

SAD 09-11-25

110

Quality Control

QC

QC5- Inspect part completeness to step on W/O

Identify as per dwg & Stock Location: ______

120

Packaging

Memo

Memo

Packaging

Work Order ID 53657

November 11, 2009 3:25:43 PM



Page 2

Item ID:

D2989-13

Revision ID: D

Rib **Item Name:**

Required Date: 18/11/2009

Start Date:

11/11/2009

Start Qty: 4.00

Req'd Qty: 4.00



Accept



Setup Start



Stop

Cust Item ID: Customer:

Reference:

Approvals:

Process Plan:

QC:

Operation

Description

Date: Date: **Tooling:**

SPC (Y/N):

Date:

Date:

Run

Start



Stop



Sequence ID/

Work Center ID

130

Memo

QC21- Final Inspection - Work Order Release

Run Hours

Set Up/

0.00

0.00

Number

Draw

Draw Rev.

Plan Code Accept Qty'

Reject Qty

Reject Number

Insp. Stamp

Quality Control

M09-11-27

Picklist Print

November 11, 2009 3:25:48 PM

Work Order ID: 53657

Parent Item: D2989-13RevD

Parent Item Name:

Component Item ID/

Rib

Item ID

Replacement Mfg/ Purch

Bin **Primary** Item Location

No

Last Location

Route Seq ID

100

Unit of Measure Each

Hand 5.8632

Qty on

0.7579

Qty

Issued

Start Date: 11/11/2009

Start Qty: 4.00

Remaining

Qty To Pick

SAD 09-11-25

Required Date: 18/11/2009

Required Qty: 4.00

Date

Issued

Page 1

Status

Manufactured

Basket Hoop

Comments:

Item Name

D3166-3RevA1

Loc Code Warehouse Loc Oty

Location

Main Warehouse

WA

5.8632 50033 0.0527 0.1894 50618 52058 5.6211

0.7579

QTY -041 ITEM P/N DESCRIPTION D2989-041 BASKET LID ASSEMBLY X D2989-043 BASKET LID ASSEMBLY 2 D2506 LABEL PLATE 4 D2512-7 RIB MOUNTING BRACKET 5 2 D2581 6 D2989-3 RIB 7 D2989-4 RIB D2989-5 RIB 8 2 9 D2989-13 RIB 2 10 2 D2989-17 RIB 11 D2989-19 RIB 12 2 D3182-1 HINGE D2989-043 BASKET LID ASSEMBLY 13 2 D3442-3 SHIM (MESH SHOWN LOCALLY FOR CLARITY) 14 D3827-041 RIB ASSY (INBOARD) MESH, BASKET LID 15 D3832-3 D3832-5 MESH, BASKET LID 16 MESH. LID END 17 D3833-3 18 D3833-5 MESH, LID END RIB ASSY (BASKET LID, LH) 19 D3836-041 RIB ASSY (BASKET LID, RH) 20 D3836-042 21 D3838-041 RIB ASSY (BASKET LID, LH) RIB ASSY (BASKET LID, RH) 22 D3838-042 D3852-041 RIB ASSEMBLY 23 D3852-042 RIB ASSEMBLY 24 D2989-041 BASKET LID ASSEMBLY (MESH SHOWN LOCALLY FOR CLARITY) SHOP COTY REVISED -041/-043 PARTS LISTS AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); D3835-041 REPLACES D2899-01-5; D3835-042 REPLACES D2899-01-6; D3838-041 REPLACES D2999-1/-7; D3838-042 REPLACES D2999-2/-7; D3838-042 REPLACES D2999-2/-7; D3838-042 REPLACES D2999-2; REMOVED D2327-3 (NOW INSTALLED ON D3836 DWG), D2999-11; D3829-041 (NOW ON D3836 DWG), D2999-11/-2/7-15 (NOW ON D3836 DWG) ADD D2989-11/-12 (NOW ON D3852 DWG), D2999-11/-2/7-15 (NOW ON D3838 DWG) AND D2989-11/-12 (NOW ON D3852 DWG), D2999-11/-2/7-15 (NOW ON D3852 DWG) RETURN TO ENG.NI PRING 08.09.24 UNCONTROLLED COPY SUBJECT TO AMENDMENT FRAME MATERIAL WAS 0.060 WALL; MESH MATERIAL UPDATED; DRAWING TRANSFERED TO "B" FORMAT AND CURRENT DRAFTING STANDARD WITHOUT NOTICE 08.06.20 WORK ORDER 53437 BAO9-11-12 В ADD SHIM UNDER HINGES, UPDATE LID DIMENSIONS 05.06.07 PH NEW ISSUE Α DS 00.10.27 DESCRIPTION REV. BY DATE 1) MATERIAL: N/A DESIGN DART AEROSPACE LTD 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3 DRAWN HAWKESBURY, ONTARIO, CANADA BLACK ANTI-SKID PAINT AS INDICATED PER DART QSI 005 4.4 DRAWING NO. SPRAY PAINT INSIDE SURFACE BLACK PRIOR TO APPLYING ANTI-SKID CHECKED REV. D 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED D2989 MFG. APPR. SHEET 1 OF 5 APPROVED TITLE SCALE 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 6) IDENTIFICATION: N/A BASKET LID ASSEMBLY DE APPR. NTS 7) WEIGHT: D2989-041 = 26.50 lbs; D2989-043 = 15.50 lbs 8) WELD PER DART QSI 004 COPYRIGHT @ 2000 BY DART AEROSPACE LTD DATE 08.09.24 2







